





**WIRE NET
FENCING
TOOLS**






O41255

BABY GRAFER 16/20

Hand hog ring pliers



- With built-in wire cutter up to 3 mm thickness.
- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.



Gencod : 3476060004123 236 g





O40655

BABY GRAFER 30

Hand hog ring pliers



- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.



Gencod : 3476060004062 242 g

O42855

MASTER GRAFER

Hog ring pliers for round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Jaw is specially designed to perfectly fix the welded mesh to the metal post in the form of a ring.
- Compatible with CL 29 rings.



Gencod : 3476060004284 610 g

O43855

UNI-CLIP BECA

Hog ring pliers for «BECA» type round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Facilitates the use of CL 35 rings Ø 3.5 mm on round posts («BECA» type).
- Compatible with CL 35 rings.



Gencod : 3476060004383 590 g


O40155

TOP GRAFER 16

Hand hog ring pliers with magazine



- + Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 16.



Gencod : 3476060004017 380 g


O40355

TOP GRAFER 18

Hand hog ring pliers with magazine



- + Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 18.



Gencod : 3476060004031 405 g


O41155

TOP GRAFER 20/22

Hand hog ring pliers with magazine



- + Light and handy tool.
- 2 built-in wire cutter up to 3 mm thickness.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 22 and OMEGA 20.



Gencod : 3476060004116 420 g



O40555

TOP GRAFER 30

Hand hog ring pliers with magazine



- + Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 30.



Gencod : 3476060004055 440 g




O41855

PACK PRO WIRE NET FENCING



- Content :
 - 1 hog ring pliers TOP GRAFER 20/22 (ref. O41155).
 - 1000 OMEGA 20 green PVC coated hog rings (ref. O43001).
 - 1 cutting nippers 220 mm (ref. O40455).
- For fast and easy installation of chain link fences.

Gencod : 3476060004185  1627 g

O40055


JUNIOR

Hand hog ring pliers with magazine




O49055

HANDLE SPRING FOR JUNIOR

Gencod : 3476060004901  7 g

- Perpendicular fastening.
- Professional tool for wire mesh and rope netting.
- Maximum fastening \varnothing : 2.1 + 2.2 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 16.

Gencod : 3476060004000  580 g

O41055


MAJOR

Professional hand hog ring pliers with magazine





149155

HANDLE SPRING FOR MAJOR

Gencod : 3476060014917  8 g




- Perpendicular fastening.
- Professional tool for wire mesh and rope netting.
- Maximum fastening \varnothing : 3.9 + 3.6 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 20.

Gencod : 3476060004109  1040 g



- Fits all types of drills.
- Screwdrivers (from 10.8 Volts).
- For stapling chain-link fencing.
- High speed execution = time saving.
- For OMEGA 20 and DELTA 22 staples.
- 50 staple magazine.
- Magazine positioning for left and right-handed person.
- Made in France.

PATENTED



WIRE NET FENCING SOLUTIONS

WIRE NET FENCING TOOLS

O48455

FENCING TENSION CLAWS x 2



- + Set of 2 universal chain link fencing tensioners for T-section or round posts.
- Makes for a perfect installation by one person.
- Holds the netting in position while stapling it.



Gencod : 3476060004840 460 g

O40755

DRESS FIL

Wire tensioner for netting and welded nets



- + Wire tensioner for netting and welded nets.
- Guarantee of perfect tensioning : rigid.
- Perfect tensioning of wire netting.
- Creates uniform fencing.



Gencod : 3476060004079 280 g

O45555

TORNADO PRO

Professional automatic binder for looped metal bonds



- + 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip



Gencod : 3476060004550 405 g

960452

1000 LOOPED METAL BONDS - GALVANIZED

Galvanized steel looped bonds Ø 1 mm x 120 mm



- + To use for different kinds of fastening.
- Use it with automatic binder for looped metal bonds.
- Applications : rebar, fencing, gravel bags.

Gencod : 3476060004529 1200 g


O74555

PLURICOUPI' ERGO

Multi purpose pliers with angled blades



- + Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.
- Angled blades for an optimum comfort.



Gencod : 3476060007452 167 g

O42455

PIC 7

Multi-purpose farming tool



- + Various applications : hammer, wire tensioner, staple remover, wire cutter (x2), splicer.



Gencod : 3476060004246 662 g

O40455

220 MM CUTTING NIPPERS



- + Cutting nippers forged carbon steel = very rugged.
- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.



Gencod : 3476060004048 355 g

O44855

250 MM CUTTING NIPPERS



- + Cutting nippers forged carbon steel = very rugged.
- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.



Gencod : 3476060004482 420 g



- Special for Gabion jobsites.
- 5-7 bar working pressure.
- Magazine capacity : 120 CL 50 (45 x 24 x 3 mm) rings. Fastening speed : 40 rings per minute.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc.
- Comes in heavy duty, ergonomic High Density PE case.
- New model : ultra-rugged machine for an intensive use.
- Magazine protector included.
- Air consumption is 7,7 kg/cm² (7,59 bar) for an average of 50 shots per minute.



249826
LOWER JAW FOR TURBO 50 PREMIUM



Gencod : 3476062498265 652 g

249818
UPPER JAW FOR TURBO 50 PREMIUM




Gencod : 3476062498180 652 g

Gencod : 3476060495556 10150 g



- +** • Special manual plier for Gabion jobsites.
- Quick to use.
- Easy loading of ring.
- Magazine capacity : 50 CL 50 (45 x 24 x 3 mm) rings.
- Locking security.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc.



Gencod : 3476060004642  5440 g

GABION STAPLES

150000 CL 50 STAPLES - Aluzinc high tensile - 1600 pcs

180000 CL 50 STAPLES - Aluzinc low tensile - 1600 pcs



160000 CL 50 STAPLES - AISI 304 stainless steel - 1600 pcs




140001 CL 40 STAPLES - Aluzinc - 1000 pcs




- +** • Ø of wire 3 mm.
- Resistance 1750 - 1900 N/mm².
- Quantity / box 1600 rings.
- Treatment 95% zinc + 5 % alu.

Gencod : 3476060015006  6940 g


- +** • Wire Ø 3 mm.
- Resistance 690 - 840 N/mm².
- Quantity / box 1600 rings.
- Treatment 95% zinc + 5 % alu.

Gencod : 3476060018007  6950 g

- +** • Ø of wire 3 mm.
- Resistance 1370 - 1570 N/mm².
- Quantity / box 1600 rings.
- Treatment INOX AISI 304.

Gencod : 3476060016003  8200 g

- +** • To use with UNICLIP stapler (ref. O43855).
- Special gabion cages for decoration.

Gencod : 3476060014009  5000 g



O47655**CONCERTINA RAZOR BARBED TAPE PLIER WITH MAGAZINE**

- Manual plier with magazine for Concertina Razor Barbed Tape.
- Secure to use because of the long handles.
- Quick fastening action.
- Magazine capacity : 35 clips.
- It is possible to load the magazine horizontally or vertically.
- For Concertina clip ref O46201 (Galva) or ref O46301 (stainless steel).
- Applications : protection of sensitive areas (industrial estates and facilities, material park, airports, military areas).

Gencod : 3476060004765 1416 g

O47755**CONCERTINA RAZOR BARBED TAPE PLIER**

- One handed compound action.
- For Concertina rings galvanised/1000 pcs & stainless steel/1000 pcs.



Gencod : 3476060004772 285 g

CLIPS FOR CONCERTINA**O46601****1000 GALVANISED CLIPS - Bulk**

- Galvanised treatment.

Gencod : 3476060004666 3200 g

O46701**1000 STAINLESS STEEL CLIPS - Bulk**

- AISI 304 stainless steel treatment.

Gencod : 3476060004673 3600 g

O46201**2100 GALVANISED CLIPS**

- Galvanised treatment.

Gencod : 3476060004628 7000 g

O46301**2100 STAINLESS STEEL CLIPS**

- AISI 304 stainless steel treatment.

Gencod : 3476060004635 7240 g



- Fast execution.
- 5-8 bar working pressure.
- Air consumption : 6 litres per time.
- Magazine capacity : 100 rings.
- Compatible with CL 24 rings.
- Applications :
 - Swimming pool formwork
 - Industrial fastening



Gencod : 3476060004987 1483 g

120000 CL 24 RINGS - Stainless steel - 10 000 pcs

- AISI 304 stainless steel treatment.



Gencod : 3476060012005 8180 g

190000 CL 24 STAPLES - Galva - 10 000 pcs



- Galvanised treatment.



Gencod : 3476060019004 8000 g





OMEGA 16 STAPLES





O41601	Galva A - 2500 pcs	24	Gencod : 3476060004161 733 g
O44001	Galva green PVC coated - 2500 pcs	24	Gencod : 3476060004406 466 g
O41901	Galva A - 1250 pcs	30	Gencod : 3476060004192 369 g
O44201	Galva green PVC coated - 1250 pcs	30	Gencod : 3476060004420 284 g
O44300	AISI 316 stainless steel - 1250 pcs	30	Gencod : 3476060004437 384 g
O41501	Galva A - 250 pcs	25	Gencod : 3476060004154 87 g
O44501	Galva green PVC coated - 250 pcs	25	Gencod : 3476060004451 66 g

OMEGA 18 STAPLES





900470	Galva A - 1200 pcs	20	Gencod : 3476060004703 804 g
900480	Galva green PVC coated - 3000 pcs	8	Gencod : 3476060004802 1860 g

OMEGA 20 STAPLES





O42001	Galva A - 1000 pcs	20	Gencod : 3476060004208 852 g
O42301	AISI 316 stainless steel - 1000 pcs	20	Gencod : 3476060004239 908 g
O43001	Galva green PVC coated - 1000 pcs	20	Gencod : 3476060004307 745 g
O42101	Aluminium - 1000 pcs	20	Gencod : 3476060004215 313 g
O47201	Galva black PVC coated - 1000 pcs	20	Gencod : 3476060004727 725 g
O42501	Galva A - 200 pcs	15	Gencod : 3476060004253 190 g
O43501	Galva green PVC coated - 200 pcs	15	Gencod : 3476060004352 166 g
O42900	Galva white PVC coated - 200 pcs	15	Gencod : 3476060004291 167 g

DELTA 18 STAPLES



900466	Cooper - 3360 pcs	8	Gencod : 3476060004666 15230 g
---------------	-------------------	---	---------------------------------

DELTA 22 STAPLES




900460	Galva A - 1000 pcs	20	Gencod : 3476060004604 927 g
900461	AISI 316 stainless steel - 1000 pcs	20	Gencod : 3476060004611 997 g
900463	Galva green PVC coated - 1000 pcs	20	Gencod : 3476060004636 760 g



= Unit per master carton



DELTA 30 STAPLES



O46500 Galva A - 2500 pcs



6

Gencod : 3476060004659 2971 g


O47101 Galva A - 500 pcs



1

Gencod : 3476060004710 583 g

CL 24 RINGS




120000 Stainless steel - 10 000 pcs
AISI 304 stainless steel treatment.

Gencod : 3476060012005 8180 g

190000 Galva - 10 000 pcs
Galvanised treatment.

Gencod : 3476060019004 8000 g

CL 29 STAPLES



O46801 AISI 304 stainless steel
- 100 pcs



30

Gencod : 3476060004680 254 g

O46901 Galva A - 100 pcs



30

Gencod : 3476060004697 253 g

146800 AISI 304 stainless steel
- 500 pcs



12

Gencod : 3476060014689 958 g

O47300 AISI 304 stainless steel
- 1000 pcs



8

Gencod : 3476060004734 2587 g


O47400 Galva A - 1000 pcs



6

Gencod : 3476060004741 2529 g

CL 35 STAPLES




O43700 AISI 304 stainless steel
- 500 pcs



12

Gencod : 3476060004376 1574 g

CL 40 STAPLES




140001

Aluzinc - 1000 pcs
To use with UNICLIP stapler ref. O43855.
special for decoration gabion cages.

Gencod : 3476060014009 5000 g

CL 50 STAPLES



150000

Aluzinc high tensile - 1600 pcs
Ø of wire 3 mm.
Resistance 1750 - 1900 N/mm².
Quantity / box 1600 rings.
Treatment 95% zinc + 5 % alu.

Gencod : 3476060015006 6940 g

160000

AISI 304 stainless steel - 1600 pcs
Ø of wire 3 mm.
Resistance 1370 - 1570 N/mm².
Quantity / box 1600 rings.

Gencod : 3476060016003 8200 g

180000

Aluzinc low tensile - 1600 pcs
Wire Ø 3 mm.
Resistance 690 - 840 N/mm².
Quantity / box 1600 rings.
Treatment 95% zinc + 5 % alu.

Gencod : 3476060018007 6950 g